

e

Notice of Allowability	Application No.	Applicant(s)	
	10/810,535	BINDER ET AL.	
	Examiner	Art Unit	
	Keshia Gibson	3761	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 12/27/05.
2. ☒ The allowed claim(s) is/are 1,3,5,28,29,31,32 and 36-39.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 20060509.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____. | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input checked="" type="checkbox"/> Other <u>Bib Data Sheet</u> . |

klg 5/9/06

Examiner's Amendment/Comments/Reasons for Allowance

EXAMINER'S COMMENTS

Drawings

1. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because although the drawings permit examination, the quality of some figures make it require improvement for formal presentation of the disclosed invention. Applicant is advised to employ the services of a competent patent draftsman outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Terminal Disclaimer

2. The terminal disclaimers filed on 4/11/06 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of US 6,963,019 and application 10/334,201 have been reviewed and is accepted. The terminal disclaimers have been recorded.

EXAMINER'S AMENDMENT

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Art Unit: 3761

Authorization for change in inventorship was given in applicant's petition in the correspondence filed 12/27/05.

Authorization for this examiner's amendment was given in a telephonic interview with Drew Wintringham on 3/17/06.

The application has been amended as follows:

a. In view of the papers filed 12/27/05, the inventorship in this nonprovisional application has been changed by the deletion of William H. Kimball.

b. In Claim 1, line 6:

"comprising" has been deleted and replaced with --wherein said carrier is--

c. In Claim 1, line 8:

"capable of" has been deleted and replaced with --configured to have--

REASONS FOR ALLOWANCE

4. The following is an examiner's statement of reasons for allowance:

The declaration under 37 CFR 1.132 filed 4/11/06 is sufficient to overcome the rejection of claims 1, 3, 5, 28, 29, 31, 32, and 36-39 based upon 35 USC 103 (a) over Pocknell (US 4,991,574), Docter (US 6,143,946), and Fabo (US 5,891,076 and US 5,340,363).

A search of the prior art of record fails to disclose any references, which taken alone or in combination, teach or fairly suggest a method of applying a composite of silicone gel and loop material that is laminated so that the two layers stretch together

Art Unit: 3761

and provide compressive therapy to the body without causing a breakdown in the laminate components.

The closest prior art of record is Pocknell (US 4,991,574), Docter (6,143,946), and Fabo (US 5,891,076 and US 5,340,363). Each reference teaches a composite comprising a silicone gel. However, unlike the laminate of the claimed invention, the prior art composites fail to provide compressive support to a body part and/or fails to remain intact upon stretching of the wrap. Evidence of this was provided during a demonstration by the applicant during an interview held 11/27/05 in which prototypes of the prior art and the currently claimed invention were presented. Also see Applicant's Remarks/arguments filed 4/11/06 and Declaration under 37 CFR 1.132 filed 4/11/06.

For these reasons, the currently claimed invention is considered to read over the prior art of record:

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Keshia Gibson whose telephone number is (571) 272-7136. The examiner can normally be reached on M-F 8:30 a.m. - 6 p.m., out every other Friday.

Art Unit: 3761

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tatyana Zalukaeva can be reached on (571) 272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Keshia Gibson
Examiner
Art Unit 3761

klg 3/1/06

TATYANA ZALUKAEVA
SUPERVISORY PRIMARY EXAMINER

